

TEST REPORT

No. : SHMR251202961801

Date : Dec 24, 2025

Page: 1 of 4

CUSTOMER NAME: Nanjing Shenghui Rubber and Plastic Co., Ltd.

ADDRESS: No. 38, Hancun Town, Gǔbāi Town, Gaochun District, Nanjing City

Sample Name : Rubber mat

Product specification : Thickness: 10 mm

Above information and sample(s) was/were submitted and confirmed by the client. SGS, however, assumes no responsibility to verify the accuracy, adequacy and completeness of the sample information provided by client.

SGS Ref. No. : SHIN2512011904PL01

Date of Receipt : Dec 16, 2025

Testing Start Date : Dec 16, 2025

Testing End Date : Dec 24, 2025

Test result(s) : For further details, please refer to the following page(s)

(Unless otherwise stated the results shown in this test report refer only to the sample(s) tested)

Signed for
SGS-CSTC Standards Technical
Services (Shanghai) Co., Ltd.

Jamin Cole

Jamin Cao
Authorized signatory

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sas.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such

sample(s) are retained for 30 days only.
Attention: To check the authenticity of testing / inspection or email: CN.Doccheck@sgs.com
No.69, Block 1159, Kangqiao East Road, Pudong District, Shanghai, China 201319

or contact us at telephone: (86-755) 8307 1443,
e-mail: sgs@sgsgroup.com

Member of the SGS Group (SGS SA)

TEST REPORT

No. : SHMR251202961801

Date : Dec 24, 2025

Page: 2 of 4

Summary of Results:

No.	Test Item	Test Method	Result	Conclusion
1	Withstand Test	IEC 61111:2009 Section 5.6.4.3	See result	Pass

Note: Pass : Meet the requirements;

Fail : Does not meet the requirements;

/ : Not Apply to the judgment.

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues set out thereon. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention, and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com



No.69, Block 1159, Kangjiao East Road, Pudong District, Shanghai, China 201319

中国·上海·浦东康桥东路1159弄69号

邮编 : 201319

t (86-21) 61196300 www.sgsgroup.com.cn

t (86-21) 61196300 sgs.china@sgs.com

Member of the SGS Group (SGS SA)

TEST REPORT

No. : SHMR251202961801

Date : Dec 24, 2025

Page: 3 of 4

1. Test Item: Withstand Test

Sample Description: A-Rubber sheet

Test Method: IEC 61111:2009 Section 5.6.4.3

Test Condition:

Precondition: Soak in water for 16 h

Surround medium: Transformer oil at (23±2) °C

Test electrode: Unequal electrodes (upper electrode Ø25 mm, lower electrode Ø75 mm)

Voltage type: AC 50 Hz

Test Voltage: 30 kV (class 2)

Test duration: 3 min

Lab Environmental Condition: (23 ± 2) °C, (50 ± 5) %RH

Test Result:

Sample A

Specimen	Thickness, mm	Leakage Current, mA	Appearance
1	10.05	0.93	No breakdown or flashover
2	9.75	0.93	No breakdown or flashover
3	9.93	0.93	No breakdown or flashover
4	10.03	0.93	No breakdown or flashover
5	10.14	0.93	No breakdown or flashover

Requirement in IEC 61111:2009 Section 5.6.4.3: No breakdown or flashover

Conclusion: Pass

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues set out thereon. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com



No.69, Block 1159, Kangqiao East Road, Pudong District, Shanghai, China 201319

中国·上海·浦东康桥东路1159弄69号

邮编 : 201319

t (86-21) 61196300 www.sgsgroup.com.cn

t (86-21) 61196300 sgs.china@sgs.com

Member of the SGS Group (SGS SA)


TEST REPORT

No. : SHMR251202961801

Date : Dec 24, 2025

Page: 4 of 4

Test Photo:



Equipment Information:

Equipment Name	Model	Equipment No.	Calibration date	Next Calibration date
Digit Calliper	0-150mm/0.01mm	P-698	2025-02-14	2026-02-13
Digital Thickness Gauge	EK091711	P-1034	2025-12-02	2026-12-01

Appendix information:

*The test report shall only be used for client scientific research, teaching, internal quality control, product research and development, etc. and just for client internal reference.

***** End of report*****

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sas.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such

to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

The logo is circular with a red border. Inside the border, the text 'SGS-CSTC 质量技术服务中心(上海)有限公司' is written in a clockwise direction. In the center of the circle is a five-pointed red star, with the text '检验检测专用章' (Inspection & Testing Services) and 'SGS-CSTC Inspection & Testing Services' printed below it.

Attention: To check the authenticity of testing /inspection or email: CN.Doccheck@sgs.com
No.69, Block 1159, Kangqiao East Road, Pudong District, Shanghai, China 201319
中国 上海 静安区康桥东路1159号 邮编: 201319

contact us at telephone: (86-755) 8307 1443,
e (86-21) 61196300 www.sgsgroup.com.cn
e (86-21) 61196300 sgs-china@sgs.com

Member of the SGS Group (SGS SA)